Technical Sheet

FM-744

Heavy duty four segments shield anchor



SIMPSON StrongTie FRIULSIDER

Supplied in dual-branded packaging

Technical Sheet

FM-744

Heavy duty four segments shield anchor

Technical Data

Product Dimension - Anchor only

Reference	Metallic fixings dimensions				
	Product Dimensions[mm]		Product Reference	Other	
	Plug[mm]	For screw		Qty per box[stk]	Qty per outer box

* *Certified product when coupled with hex head screw DIN933 grade 8.8 and washer DIN125-1*

Product Dimension - Hex head screw grade 8.8

Reference	Metallic fixings dimensions				
	Product Dimensions[mm]		Product Reference	Other	
	Plug[mm]	Hex head screw		Qty per box[stk]	Qty per outer box
74411B1004000	10x40	M6x50	FM-744	50.0	500
74411B1405000	14x50	M8x60	FM-744	50.0	250
74411B1606000	16x60	M10x80	FM-744	25.0	125
74411B2008000	20x80	M12x90	FM-744	20.0	100

Product Dimension - Threaded bar grade 5.8

Reference	Metallic fixings dimensions				
	Product Dimensions[mm]		Product Reference	Other	
	Plug[mm]	Bar		Qty per box[stk]	Qty per outer box

** *Not covered by CE certification*

Product Dimension - Forged cup hook

Reference	Metallic fixings dimensions					
	Product Dimensions[mm]			Product Reference	Other	
	Plug[mm]	Cup hook	Internal Ø hook or eye [O][mm]		Qty per box[stk]	Qty per outer box

** *Not covered by CE certification*

Product Dimension - Forged eye

Reference	Metallic fixings dimensions					
	Product Dimensions[mm]			Product Reference	Other	
	Plug[mm]	Eye	Internal eye[mm]		Qty per box[stk]	Qty per outer box

** *Not covered by CE certification*

Technical Sheet

FM-744

Heavy duty four segments shield anchor

Winchester Road Cardinal Point Tamworth
Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

FM-744
Heavy duty four segments shield anchor

Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®

2026-11-05

www.strongtie.co.uk