Technical Sheet

MP
Mending Plate

The MP is an easy to use connector for timber splices, no nails required.
For non-structural applications only; not for truss applications.

Features

Material

- Pre-galvanised mild steel

Benefits

b


Applications


Suitable On


b

When to Use


- Jointing of 2 pieces.
- Reinforcement of damaged or split assemblies.
- Boxes, etc.








MP24




MP25/100




MP50/100




MP50/100



MP75/150



Installed






MP25-1001



MP50/100




Installed

Technical Sheet

MP
Mending Plate

Technical Data

Product dimensions




Reference	Connector Dimensions		
	Product Dimensions[mm]		Other
	A[mm]	B[mm]	Weight[kg]
MP25/100	25	100	0.02
MP50/100	50	100	0.052
MP75/150	75	150	0.09

MP
Mending Plate


Installation

Fixing


Does not require any additional accessory.
DO NOT USE IN STRUCTURAL APPLICATIONS. AVOID SPLITTING THE WOOD.




MP14




MP24



MP36







Installed

MP
Mending Plate


Options



MP25/100



MP50/100



MP75/150

Winchester Road Cardinal Point Tamworth Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616
Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®