
Technical Sheet

QDBPC50E
Quik Drive Connector Screw System

The QDBPC50E attachment is designed to be used when mounting metal connectors such as angle brackets and joist hangers to timber. It's suitable for use with CSA screws 35mm to 50mm long. The point of the screws extend beyond the nose piece making it easy to locate in the holes of the connectors. The slim design of the nose piece makes it possible to get closer in to the corners during the installation of screws.











Features

Material

- Manufactured containing PTFE
- No lubrication required

Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment to prevent damage to connectors or timber

Kit Includes

QDBPC50E Quik Drive attachment, mandrel, torx 20 driver bit, belt hook.

Applications

Common Applications

- Mounting angle brackets and joist hangers to timber
- Suitable for use with CSA screws

Technical Sheet

QDBPC50E
Quik Drive Connector Screw System

Technical Data

Use

Reference
QDBPC50E

Installation



Remove screw driver sleeve.



Then remove the cap.



Install the adaptor.



Insert the mandrel.



Engage the gun with the mandrel and snap it onto the adapter.



Insert the tape screw tip pointed up: your screwdriver is ready!

Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®